Utility Patent Ser. No. 09/833,978

BEFORE THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Jerry A. Jenks)	Date:	Scptember 8, 2002
Serial No.: 09/833,978)	Group Art Unit:	2833
Filed: 04/12/2001)	Examiner:	Luebke, R.S.
Title: Electrical Interrupt Switch			Scptember 8, 2002 2833 Luebke, R.S. John Charles 2006
Certificate of Transmission		Certificate of Mailing	800
I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office, Fax No. (703)-305-7687on 9-10-02 (date).		I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, DC 20231 on 9-10-02 (date).	
Printed name of person signing this certificate TEXALLAKOS		Typed or printed name of person signing this certificate TERRY GKOS	
Signature / Uly Jakes		Signature / LLC	y Jakes
Hon. Commissioner of Patents and Tradema Washington, D.C. 20231		FAX RECEIVED SEP 1 0 2002	
	AMEND	MENT	
			GROUP 3600

Dear Sir:

In response to the communication from the Examiner dated 06/12/2002, please amend the application identified above as follows.

Utility Patent Ser. No. 09/833,978

In the Drawings

In accordance with 37 C.F.R. § 1.123, a separate request for correction of drawings has been submitted in conjunction with this amendment. As required by 35 U.S.C. § 132 and 37 C.F.R. § 1.118, care has been exercised to avoid introduction of anything which could be construed to be new matter.

In the Specification

On page 6, lines 11, delete the numeral "16" and replace with -- 16a --.

On page 6, lines 11, delete "spring urged against" and replace with -- biased toward --.

On page 6, line 12, after the phrase "side of body 44 such that as", insert -- the --

On page 6, line 12, after the phrase "is articulated," and before the phrase "electrical continuity" insert -- the first electrical conductive contact 46 engages the blade connectors 14 at one end and engages a second electrical conductive contact 48 at an opposite end, thereby creating --.

On page 6, line 12, after the phrase "electrical continuity" delete "is".

On page 6, line 13, delete "created".

On page 6, line 13, delete the phrase "connector 18" and replace with -- connectors 16a --

On page 6, line 14, after the phrase "the first contact 46" insert -- and --

On page 6, line 14, after the word "to" insert -- the --

On page 6, line 15, delete "a".

Utility Patent Ser. N . 09/833,978

On page 6, line 16, delete the word "is" and replace with -- are --

On page 6, line 18, after the word "should" insert -- an electrical interrupt --